
Canadian Journal of Fisheries and Aquatic Sciences

Contents
Volume 56, 1999

January / Janvier

OBITUARY / NÉCROLOGIE

Robert Hall Haynes

RAPID COMMUNICATION / COMMUNICATION RAPIDE

Hugh J. MacIsaac, Igor A. Grigorovich, James A. Hoyle, Norman D. Yan, and Vadim E. Panov Invasion of Lake Ontario by the Ponto-Caspian predatory cladoceran *Cercopagis pengoi* 1

ARTICLES

| | | |
|--|---|-----|
| François Gerlotto, Marc Soria, and Pierre Fréon | From two dimensions to three: the use of multibeam sonar for a new approach in fisheries acoustics | 6 |
| Toshiaki J. Hara, Joachim Carolsfeld, and Shoji Kitamura | The variability of the gustatory sensibility in salmonids, with special reference to strain differences in rainbow trout, <i>Oncorhynchus mykiss</i> | 13 |
| Andrew W. Leising and Peter J.S. Franks | Larval Atlantic cod (<i>Gadus morhua</i>) and haddock (<i>Melanogrammus aeglefinus</i>) growth on Georges Bank: a model with temperature, prey size, and turbulence forcing | 25 |
| Renate Meyer and Russell B. Millar | Bayesian stock assessment using a state-space implementation of the delay difference model | 37 |
| E. Conrad Lamon III, S.R. Carpenter, and C.A. Stow | Rates of decrease of polychlorinated biphenyl concentrations in five species of Lake Michigan salmonids | 53 |
| David Poister, David E. Armstrong, and James P. Hurley | Influences of grazing on temporal patterns of algal pigments in suspended and sedimenting algae in a north temperate lake | 60 |
| Anders Persson and Lars-Anders Hansson | Diet shift in fish following competitive release | 70 |
| Kevin G. Whalen and Donna L. Parrish | Effect of maturation on parr growth and smolt recruitment of Atlantic salmon | 79 |
| Kevin G. Whalen, Donna L. Parrish, and Martha E. Mather | Effect of ice formation on selection of habitats and winter distribution of post-young-of-the-year Atlantic salmon parr | 87 |
| Jeffrey A. Hutchings, Todd D. Bishop, and Carolyn R. McGregor-Shaw | Spawning behaviour of Atlantic cod, <i>Gadus morhua</i> : evidence of mate competition and mate choice in a broadcast spawner | 97 |
| P.M. Outridge and R.E.A. Stewart | Stock discrimination of Atlantic walrus (<i>Odobenus rosmarus rosmarus</i>) in the eastern Canadian Arctic using lead isotope and element signatures in teeth | 105 |
| Edward A. Trippel, Michael B. Strong, John M. Terhune, and Jeremy D. Conway | Mitigation of harbour porpoise (<i>Phocoena phocoena</i>) by-catch in the gillnet fishery in the lower Bay of Fundy | 113 |
| Kirk Lohman and John R. Jones | Nutrient – sestonic chlorophyll relationships in northern Ozark streams | 124 |
| Sushil S. Dixit, John P. Smol, Donald F. Charles, Robert M. Hughes, Steven G. Paulsen, and Gary B. Collins | Assessing water quality changes in the lakes of the northeastern United States using sediment diatoms | 131 |
| K.H. Nicholls, G.J. Hopkins, and S.J. Standke | Reduced chlorophyll to phosphorus ratios in nearshore Great Lakes waters coincide with the establishment of dreissenid mussels | 153 |
| Shelley E. Arnott, Norman D. Yan, John J. Magnuson, and Thomas M. Frost | Interannual variability and species turnover of crustacean zooplankton in Shield lakes | 162 |

Journal canadien des sciences halieutiques et aquatiques

Sommaire
Volume 56, 1999

February / février

RAPID COMMUNICATION / COMMUNICATION RAPIDE

Molly E. Lutcavage, Richard W. Brill, Gregory B. Skomal, Bradford C. Chase, and Paul W. Howey Results of pop-up satellite tagging of spawning size class fish in the Gulf of Maine: do North Atlantic bluefin tuna spawn in the mid-Atlantic? 173

ARTICLES

Andrzej Ciereszko, Konrad Dabrowski, Feng Lin, and Li Liu Protective role of ascorbic acid against damage to male germ cells in rainbow trout (*Oncorhynchus mykiss*) 178

Julie C. Brodeur, Trine Ytrestrøyl, Bengt Finstad, and R. Scott McKinley Increase of heart rate without elevation of cardiac output in adult Atlantic salmon (*Salmo salar*) exposed to acidic water and aluminium 184

James H. Power and E. Barry Moser Linear model analysis of net catch data using the negative binomial distribution 191

J. Duston and R.L. Saunders Effect of winter food deprivation on growth and sexual maturity of Atlantic salmon (*Salmo salar*) in seawater 201

K.R. Patterson Evaluating uncertainty in harvest control law catches using Bayesian Markov chain Monte Carlo virtual population analysis with adaptive rejection sampling and including structural uncertainty 208

David A. Witting, Kenneth W. Able, and Michael P. Fahay Larval fishes of a Middle Atlantic Bight estuary: assemblage structure and temporal stability 222

Ian D. McCarthy, Erlend Moksness, Dimitri A. Pavlov, and Dominic F. Houlihan Effects of water temperature on protein synthesis and protein growth in juvenile Atlantic wolffish (*Anarhichas lupus*) 231

William G. Clark, Steven R. Hare, Ana M. Parma, Patrick J. Sullivan, and Robert J. Trumble Decadal changes in growth and recruitment of Pacific halibut (*Hippoglossus stenolepis*) 242

Daniel S. Holland and Jon G. Sutinen An empirical model of fleet dynamics in New England trawl fisheries 253

Joan L. Riera, John E. Schindler, and Tim K. Kratz Seasonal dynamics of carbon dioxide and methane in two clear-water lakes and two bog lakes in northern Wisconsin, U.S.A. 265

Jeffrey A. Buckel, David O. Conover, Nancy D. Steinberg, and Kim A. McKown Impact of age-0 bluefish (*Pomatomus saltatrix*) predation on age-0 fishes in the Hudson River estuary: evidence for density-dependent loss of juvenile striped bass (*Morone saxatilis*) 275

D.M. Gillis Behavioral inferences from regulatory observer data: catch rate variation in the Scotian Shelf silver hake (*Merluccius bilinearis*) fishery 288

Terry D. Beacham and Chris C. Wood Application of microsatellite DNA variation to estimation of stock composition and escapement of Nass River sockeye salmon (*Oncorhynchus nerka*) 297

Gideon Gal, Ellis R. Loew, Lars G. Rudstam, and Ali M. Mohammadian Light and diel vertical migration: spectral sensitivity and light avoidance by *Mysis relicta* 311

Craig E. Hebert, J. Laird Shutt, Keith A. Hobson, and D.V. Chip Weseloh Spatial and temporal differences in the diet of Great Lakes herring gulls (*Larus argentatus*): evidence from stable isotope analysis 323

Edenise Garcia and Richard Carignan Impact of wildfire and clear-cutting in the boreal forest on methyl mercury in zooplankton 339

March / mars

ARTICLES

C. Tara Marshall and Kenneth T. Frank The effect of interannual variation in growth and condition on haddock recruitment 347

C. Tara Marshall and Kenneth T. Frank Implications of density-dependent juvenile growth for compensatory recruitment regulation of haddock 356

T.M. Willette, R.T. Cooney, and K. Hyer Predator foraging mode shifts affecting mortality of juvenile fishes during the subarctic spring bloom 364

David R. Montgomery, Eric M. Beamer, George R. Pess, and Thomas P. Quinn Channel type and salmonid spawning distribution and abundance 377

Kaj Sand-Jensen, Tenna Riis, Stig Markager, and Warwick F. Vincent Slow growth and decomposition of mosses in Arctic lakes 388

| | | |
|--|--|-----|
| Daniel Gaertner, Mauricio Pagavino, and Jesus Marcano | Influence of fishers' behaviour on the catchability of surface tuna schools in the Venezuelan purse-seiner fishery in the Caribbean Sea | 394 |
| Jeff G. Richards, B. Kent Burnison, and Richard C. Playle | Natural and commercial dissolved organic matter protects against the physiological effects of a combined cadmium and copper exposure on rainbow trout (<i>Oncorhynchus mykiss</i>) | 407 |
| Gary D. Marty, Mark S. Okihiro, Evelyn D. Brown, David Hanes, and David E. Hinton | Histopathology of adult Pacific herring in Prince William Sound, Alaska, after the <i>Exxon Valdez</i> oil spill | 419 |
| David J. Currie, Pam Dilworth-Christie, and François Chapleau | Assessing the strength of top-down influences on plankton abundance in unmanipulated lakes | 427 |
| Christos D. Maravelias | Habitat selection and clustering of a pelagic fish: effects of topography and bathymetry on species dynamics | 337 |
| S.N. Levine and D.W. Schindler | Influence of nitrogen to phosphorus supply ratios and physicochemical conditions on cyanobacteria and phytoplankton species composition in the Experimental Lakes Area, Canada | 451 |
| A.R. Stewart | Accumulation of Cd by a freshwater mussel (<i>Pyganodon grandis</i>) is reduced in the presence of Cu, Zn, Pb, and Ni | 467 |
| T. Ryan Gregory and Chris M. Wood | Interactions between individual feeding behaviour, growth, and swimming performance in juvenile rainbow trout (<i>Oncorhynchus mykiss</i>) fed different rations | 479 |
| Mohamed Chafiq, Janine Gibert, and Cécile Claret | Interactions among sediments, organic matter, and microbial activity in the hyporheic zone of an intermittent stream | 487 |
| Richard P. Guyette and William G. Cole | Age characteristics of coarse woody debris (<i>Pinus strobus</i>) in a lake littoral zone | 496 |
| R.J. Beamish, G.A. McFarlane, and R.E. Thomson | Recent declines in the recreational catch of coho salmon (<i>Oncorhynchus kisutch</i>) in the Strait of Georgia are related to climate | 506 |

PERSPECTIVE

| | | |
|--|---|-----|
| R.J. Beamish, D.J. Noakes, G.A. McFarlane, L. Klyashtorin, V.V. Ivanov, and V. Kurashov | The regime concept and natural trends in the production of Pacific salmon | 516 |
|--|---|-----|

April / avril

ARTICLES

| | | |
|---|--|-----|
| Mark W. Kershner, Denise M. Schael, Roger L. Knight, Roy A. Stein, and Elizabeth A. Marschall | Modeling sources of variation for growth and predatory demand of Lake Erie walleye (<i>Stizostedion vitreum</i>), 1986–1995 | 527 |
| David R. Currie and Gregory D. Parry | Impacts and efficiency of scallop dredging on different soft substrates | 539 |
| Carl James Schwarz and Wayne T. Stobo | Estimation and effects of tag-misread rates in capture–recapture studies | 551 |
| J. Chételat, F.R. Pick, A. Morin, and P.B. Hamilton | Periphyton biomass and community composition in rivers of different nutrient status | 560 |
| Sean P. Gallagher and Mark F. Gard | Relationship between chinook salmon (<i>Oncorhynchus tshawytscha</i>) redd densities and PHABSIM-predicted habitat in the Merced and Lower American rivers, California | 570 |
| Jeffrey J. Hard and William R. Heard | Analysis of straying variation in Alaskan hatchery chinook salmon (<i>Oncorhynchus tshawytscha</i>) following transplantation | 578 |
| Brian Fry, Patricia L. Mumford, Franklin Tam, Don D. Fox, Gary L. Warren, Karl E. Havens, and Alan D. Steinman | Trophic position and individual feeding histories of fish from Lake Okeechobee, Florida | 590 |
| Carl J. Walters and Ramón Bonfil | Multispecies spatial assessment models for the British Columbia groundfish trawl fishery | 601 |
| S. Kuikka, M. Hildén, H. Gislason, S. Hansson, H. Sparholt, and O. Varis | Modeling environmentally driven uncertainties in Baltic cod (<i>Gadus morhua</i>) management by Bayesian influence diagrams | 629 |
| Eugene P. Foster and Lawrence R. Curtis | 2,2',4,4',5,5'- and 3,3',4,4',5,5'-Hexachlorobiphenyl pretreatments alter the biliary excretion of a challenge dose of 7,12-[³ H]dimethylbenz[a]anthracene in rainbow trout (<i>Oncorhynchus mykiss</i>) | 642 |
| Jeff D. Jeremiason, Steven J. Eisenreich, and Michael J. Paterson | Accumulation and recycling of PCBs and PAHs in artificially eutrophied Lake 227 | 650 |
| Edward E. Emmons, Martin J. Jennings, and Clayton Edwards | An alternative classification method for northern Wisconsin lakes | 661 |
| C.J. Allin and R.W. Wilson | Behavioural and metabolic effects of chronic exposure to sublethal aluminum in acidic soft water in juvenile rainbow trout (<i>Oncorhynchus mykiss</i>) | 670 |

| | | |
|---|--|-----|
| Maria J. González and Amy Downing | Mechanisms underlying amphipod responses to zebra mussel (<i>Dreissena polymorpha</i>) invasion and implications for fish-amphipod interactions | 679 |
| Steven Mackinson, Marcelo Vasconcellos, and Nathaniel Newlands | A new approach to the analysis of stock-recruitment relationships: "model-free estimation" using fuzzy logic | 686 |
| PERSPECTIVES | | |
| A.S. Kolok | Interindividual variation in the prolonged locomotor performance of ectothermic vertebrates: a comparison of fish and herpetofaunal methodologies and a brief review of the recent fish literature | 700 |
| W.H. Pearson, R.A. Elston, R.W. Bienert, A.S. Drum, and L.D. Antrim | Why did the Prince William Sound, Alaska, Pacific herring (<i>Clupea pallasi</i>) fisheries collapse in 1993 and 1994? Review of hypotheses | 711 |
| May / mai | | |
| ARTICLES | | |
| Andrew P. Allen, Thomas R. Whittier, Philip R. Kaufmann, David P. Larsen, Raymond J. O'Connor, Robert M. Hughes, Richard S. Stemberger, Sushil S. Dixit, Ralph O. Brinkhurst, Alan T. Herlihy, and Steven G. Paulsen | Concordance of taxonomic richness patterns across multiple assemblages in lakes of the northeastern United States | 739 |
| Yvonne C. Allen, Bruce A. Thompson, and Charles W. Ramcharan | Growth and mortality rates of the zebra mussel, <i>Dreissena polymorpha</i> , in the Lower Mississippi River | 748 |
| Kenneth A. Morrison and Carl J. Watras | Mercury and methyl mercury in freshwater seston: direct determination at picogram per litre levels by dual filtration | 760 |
| Amy K. Fisher Wold and Anne E. Hershey | Effects of salmon carcass decomposition on biofilm growth and wood decomposition | 767 |
| Dacheng Wang, Yves Couillard, Peter G.C. Campbell, and Pierre Jolicoeur | Changes in subcellular metal partitioning in the gills of freshwater bivalves (<i>Pyganodon grandis</i>) living along an environmental cadmium gradient | 774 |
| Hugues P. Benoît and Pierre Pepin | Interaction of rearing temperature and maternal influence on egg development rates and larval size at hatch in yellowtail flounder (<i>Pleuronectes ferrugineus</i>) | 785 |
| Kenneth Oliveira | Life history characteristics and strategies of the American eel, <i>Anguilla rostrata</i> | 795 |
| Axayácatl Rocha-Olivares and Russell D. Vetter | Effects of oceanographic circulation on the gene flow, genetic structure, and phylogeny of the rosethorn rockfish (<i>Sebastodes helvomaculatus</i>) | 803 |
| Daniel W. Beyers, James A. Rice, William H. Clements, and Catherine J. Henry | Estimating physiological cost of chemical exposure: integrating energetics and stress to quantify toxic effects in fish | 814 |
| Daniel W. Beyers, James A. Rice, and William H. Clements | Evaluating biological significance of chemical exposure to fish using a bioenergetics-based stressor-response model | 823 |
| Barry A. Berejikian, R. Jan F. Smith, E. Paul Tezak, Steven L. Schroder, and Curtis M. Knudsen | Chemical alarm signals and complex hatchery rearing habitats affect antipredator behavior and survival of chinook salmon (<i>Oncorhynchus tshawytscha</i>) juveniles | 830 |
| Marie-Claude Bourque, Paul H. LeBlond, and Patrick F. Cummins | Effects of tidal currents on Pacific salmon migration: results from a fine-resolution coastal model | 839 |
| Jacquelynne R. King, Brian J. Shuter, and Ann P. Zimmerman | Signals of climate trends and extreme events in the thermal stratification pattern of multibasin Lake Opeongo, Ontario | 847 |
| Irma Kallio-Nyberg, Heikki Peltonen, and Hannu Rita | Effects of stock-specific and environmental factors on the feeding migration of Atlantic salmon (<i>Salmo salar</i>) in the Baltic Sea | 853 |
| Randal G. Lake and Scott G. Hinch | Acute effects of suspended sediment angularity on juvenile coho salmon (<i>Oncorhynchus kisutch</i>) | 862 |
| Yongshun Xiao, John D. Stevens, and Grant J. West | Estimation of fishing and natural mortalities from tag experiments with exact or grouped times at liberty | 868 |
| S. Tucker and J.B. Rasmussen | Using ^{137}Cs to measure and compare bioenergetic budgets of juvenile Atlantic salmon (<i>Salmo salar</i>) and brook trout (<i>Salvelinus fontinalis</i>) in the field | 875 |
| Ray Hilborn, Brian G. Bue, and Samuel Sharr | Estimating spawning escapements from periodic counts: a comparison of methods | 888 |
| PERSPECTIVE | | |
| Robert J. Miller | Courage and the management of developing fisheries | 897 |

June / juin

ARTICLES

| | |
|--|------|
| W.J. Fletcher and Neil R. Summer Spatial distribution of sardine (<i>Sardinops sagax</i>) eggs and larvae: an application of geostatistics and resampling to survey data | 907 |
| F. Richard Hauer, Geoffrey C. Poole, John T. Gangemi, and Colden V. Baxter Large woody debris in bull trout (<i>Salvelinus confluentus</i>) spawning streams of logged and wilderness watersheds in northwest Montana | 915 |
| John R. Sibert, John Hampton, David A. Fournier, and Peter J. Bills An advection-diffusion-reaction model for the estimation of fish movement parameters from tagging data, with application to skipjack tuna (<i>Katsuwonus pelamis</i>) | 925 |
| Brett B. Roper and Dennis L. Scarneccia Emigration of age-0 chinook salmon (<i>Oncorhynchus tshawytscha</i>) smolts from the upper South Umpqua River basin, Oregon, U.S.A. | 939 |
| D.T. Nolan, P. Reilly, and S.E. Wendelaar Bonga Infection with low numbers of the sea louse <i>Lepeophtheirus salmonis</i> induces stress-related effects in postmolt Atlantic salmon (<i>Salmo salar</i>) | 947 |
| Barry D. Smith A probabilistic analysis of decision-making about trip duration by Strait of Georgia sport anglers | 960 |
| Masayuki Noto and Ichiro Yasuda Population decline of the Japanese sardine, <i>Sardinops melanostictus</i> , in relation to sea surface temperature in the Kuroshio Extension | 973 |
| Laurent Dagorn and Pierre Fréon Tropical tuna associated with floating objects: a simulation study of the meeting point hypothesis | 984 |
| J.P. Mallet, S. Charles, H. Persat, and P. Auger Growth modelling in accordance with daily water temperature in European grayling (<i>Thymallus thymallus</i> L.) | 994 |
| I. Ostrovsky and Y.Z. Yacobi Organic matter and pigments in surface sediments: possible mechanisms of their horizontal distributions in a stratified lake | 1001 |
| N.T. Johnston, M.D. Stamford, K.I. Ashley, and K. Tsumura Responses of rainbow trout (<i>Oncorhynchus mykiss</i>) and their prey to inorganic fertilization of an oligotrophic montane lake | 1011 |
| Prajneshu and R. Venugopalan von Bertalanffy growth model in a random environment | 1026 |
| Howard A. Schaller, Charles E. Petrosky, and Olaf P. Langness Contrasting patterns of productivity and survival rates for stream-type chinook salmon (<i>Oncorhynchus tshawytscha</i>) populations of the Snake and Columbia rivers | 1031 |
| Brian J. Pyper, Randall M. Peterman, Michael F. Lapointe, and Carl J. Walters Patterns of covariation in length and age at maturity of British Columbia and Alaska sockeye salmon (<i>Oncorhynchus nerka</i>) stocks | 1046 |
| France Béland, Howard I. Browman, Carolina Alonso Rodriguez, and Jean-François St-Pierre Effect of solar ultraviolet radiation (280–400 nm) on the eggs and larvae of Atlantic cod (<i>Gadus morhua</i>) | 1058 |
| Eva Brännäs and Torleif Eriksson Floating, switching, or nonswitching as different behaviours when Arctic char (<i>Salvelinus alpinus</i>) are visiting two feeding tanks | 1068 |
| Renate Meyer and Russell B. Millar BUGS in Bayesian stock assessments | 1078 |
| Michel Comeau, Michel Starr, Gérard Y. Conan, Guy Robichaud, and Jean-Claude Therriault Fecundity and duration of egg incubation for multiparous female snow crabs (<i>Chionoecetes opilio</i>) in the fjord of Bonne Bay, Newfoundland | 1088 |
| Elizabeth Fulton, David Kault, Bruce Mapstone, and Marcus Sheaves Spawning season influences on commercial catch rates: computer simulations and <i>Plectropomus leopardus</i> , a case in point | 1096 |
| Roland I. Hall, Peter R. Leavitt, Aruna S. Dixit, Roberto Quinlan, and John P. Smol Limnological succession in reservoirs: a paleolimnological comparison of two methods of reservoir formation | 1109 |
| N. Aubin-Horth, J. Gingras, and D. Boisclair Comparison of activity rates of 1+ yellow perch (<i>Perca flavescens</i>) from populations of contrasting growth rates using underwater video observations | 1122 |
| Christopher N. Rooper, Lewis J. Haldorson, and Terrance J. Quinn, II Habitat factors controlling Pacific herring (<i>Clupea pallasi</i>) egg loss in Prince William Sound, Alaska | 1133 |

July / juillet

ARTICLES

| | |
|---|------|
| Isabelle Roy and Landis Hare Relative importance of water and food as cadmium sources to the predatory insect <i>Sialis velata</i> (Megaloptera) | 1143 |
| Kenneth H. Reckhow Water quality prediction and probability network models | 1150 |

| | |
|---|------|
| Jill B.K. Leonard and Stephen D. McCormick Effects of migration distance on whole-body and tissue-specific energy use in American shad (<i>Alosa sapidissima</i>) | 1159 |
| M.J. Unwin, M.T. Kinnison, and T.P. Quinn Exceptions to semelparity: postmaturation survival, morphology, and energetics of male chinook salmon (<i>Oncorhynchus tshawytscha</i>) | 1172 |
| Yvan Simard and Diane Lavoie The rich krill aggregation of the Saguenay – St. Lawrence Marine Park: hydroacoustic and geostatistical biomass estimates, structure, variability, and significance for whales | 1182 |
| Bryan D. Neff, Peng Fu, and Mart R. Gross Microsatellite evolution in sunfish (Centrarchidae) | 1198 |
| Ulrich G. Reinhardt Predation risk breaks size-dependent dominance in juvenile coho salmon (<i>Oncorhynchus kisutch</i>) and provides growth opportunities for risk-prone individuals | 1206 |
| M.R. van den Heuvel, M. Power, M.D. MacKinnon, T. Van Meer, E.P. Dobson, and D.G. Dixon Effects of oil sands related aquatic reclamation on yellow perch (<i>Perca flavescens</i>). I. Water quality characteristics and yellow perch physiological and population responses | 1213 |
| M.R. van den Heuvel, M. Power, M.D. MacKinnon, and D.G. Dixon Effects of oil sands related aquatic reclamation on yellow perch (<i>Perca flavescens</i>). II. Chemical and biochemical indicators of exposure to oil sands related waters | 1226 |
| W.R. Gould, L.A. Stefanski, and K.H. Pollock Use of simulation-extrapolation estimation in catch-effort analyses | 1234 |
| G.J. Piet, J.S. Pet, W.A.H.P. Guruge, J. Vijverberg, and W.L.T. Van Densen Resource partitioning along three niche dimensions in a size-structured tropical fish assemblage | 1241 |
| William S. Hearn, Thomas Polacheck, Kenneth H. Pollock, and Wade Whitelaw Estimation of tag reporting rates in age-structured multicomponent fisheries where one component has observers | 1255 |
| H.F. Campbell and A.J. Hand Modeling the spatial dynamics of the U.S. purse-seine fleet operating in the western Pacific tuna fishery | 1266 |
| Russell B. Millar, Brian H. McArdle, and Shelton J. Harley Modeling the size of snapper (<i>Pagrus auratus</i>) using temperature-modified growth curves | 1278 |
| David Lundvall, Richard Svanbäck, Lennart Persson, and Pär Byström Size-dependent predation in piscivores: interactions between predator foraging and prey avoidance abilities | 1285 |
| Jason L. Vogel and David A. Beauchamp Effects of light, prey size, and turbidity on reaction distances of lake trout (<i>Salvelinus namaycush</i>) to salmonid prey | 1293 |
| Tammo P. Bult, Stephen C. Riley, Richard L. Haedrich, R. John Gibson, and Jan Heggenes Density-dependent habitat selection by juvenile Atlantic salmon (<i>Salmo salar</i>) in experimental riverine habitats | 1298 |
| Holger Hovgård, Hans Lassen, Niels Madsen, Thomas Moth Poulsen, and David Wileman Gillnet selectivity for North Sea Atlantic cod (<i>Gadus morhua</i>): model ambiguity and data quality are related | 1307 |
| David W. Welch and J. Paige Eveson An assessment of light-based geoposition estimates from archival tags | 1317 |

August / août

ARTICLES

| | |
|--|------|
| Allen H. Andrews, Kenneth H. Coale, Jocelyn L. Nowicki, Craig Lundstrom, Zenon Palacz, Erica J. Burton, and Gregor M. Cailliet Application of an ion-exchange separation technique and thermal ionization mass spectrometry to ^{226}Ra determination in otoliths for radiometric age determination of long-lived fishes | 1329 |
| Allen H. Andrews, Gregor M. Cailliet, and Kenneth H. Coale Age and growth of the Pacific grenadier (<i>Coryphaenoides acrolepis</i>) with age estimate validation using an improved radiometric ageing technique | 1339 |
| R.E.H. Smith, J.A. Furgal, M.N. Charlton, B.M. Greenberg, V. Hiriart, and C. Marwood Attenuation of ultraviolet radiation in a large lake with low dissolved organic matter concentrations | 1351 |
| Scott M. Reid, Michael G. Fox, and Thomas H. Whillans Influence of turbidity on piscivory in largemouth bass (<i>Micropterus salmoides</i>) | 1362 |
| Even H. Jørgensen and Johannes Wolkers Effect of temperature on the P4501A response in winter- and summer-acclimated Arctic char (<i>Salvelinus alpinus</i>) after oral benzo[a]pyrene exposure | 1370 |
| Oscar E. Gaggiotti and Russell D. Vetter Effect of life history strategy, environmental variability, and overexploitation on the genetic diversity of pelagic fish populations | 1376 |
| Heather A. Morrison, D. Michael Whittle, Chris D. Metcalfe, and Arthur J. Niimi Application of a food web bioaccumulation model for the prediction of polychlorinated biphenyl, dioxin, and furan congener concentrations in Lake Ontario aquatic biota | 1389 |

| | |
|---|------|
| Frank M. Wilhelm and David W. Schindler Effects of <i>Gammarus lacustris</i> (Crustacea: Amphipoda) on plankton community structure in an alpine lake | 1401 |
| Mary C. Fabrizio, James D. Nichols, James E. Hines, Bruce L. Swanson, and Stephen T. Schram Modeling data from double-tagging experiments to estimate heterogeneous rates of tag shedding in lake trout (<i>Salvelinus namaycush</i>) | 1409 |
| Aki Mäki-Petäys, Timo Muotka, and Ari Huusko Densities of juvenile brown trout (<i>Salmo trutta</i>) in two subarctic rivers: assessing the predictive capability of habitat preference indices | 1420 |
| Christian Doyon, Réjean Fortin, and Philip A. Spear Retinoic acid hydroxylation and teratogenesis in lake sturgeon (<i>Acipenser fulvescens</i>) from the St. Lawrence River and Abitibi region, Quebec | 1428 |
| Bernadette Pinel-Alloul, Catherine Guay, Nadine Angeli, Pierre Legendre, Pierre Dutilleul, Gérard Balvay, Daniel Gerdeaux, and Jean Guillard Large-scale spatial heterogeneity of macrozooplankton in Lake of Geneva | 1437 |
| Heinrich Eisenmann, Peter Burgherr, and Elisabeth I. Meyer Spatial and temporal heterogeneity of an epilithic streambed community in relation to the habitat template | 1452 |
| Stephan Köhler, Jakub Hruška, and Kevin Bishop Influence of organic acid site density on pH modeling of Swedish lakes | 1461 |
| J.C.A. Marr, J. Lipton, D. Cacela, J.A. Hansen, J.S. Meyer, and H.L. Bergman Bioavailability and acute toxicity of copper to rainbow trout (<i>Oncorhynchus mykiss</i>) in the presence of organic acids simulating natural dissolved organic carbon | 1471 |
| Russell K. MacRae, Ann S. Maest, and Joseph S. Meyer Selection of an organic acid analogue of dissolved organic matter for use in toxicity testing | 1484 |
| Uwe Borgmann and Warren P. Norwood Assessing the toxicity of lead in sediments to <i>Hyalella azteca</i> : the significance of bioaccumulation and dissolved metal | 1494 |
| Ruth B. Phillips, Linda I. Gudex, Kathleen M. Westrich, and Alfred DeCicco Combined phylogenetic analysis of ribosomal ITS1 sequences and new chromosome data supports three subgroups of Dolly Varden char (<i>Salvelinus malma</i>) | 1504 |
| Richard D. Routledge and James R. Irvine Chance fluctuations and the survival of small salmon stocks | 1512 |

September / septembre

RAPID COMMUNICATION / COMMUNICATION RAPIDE

| | |
|---|------|
| Peter A. Shelton and Brian P. Healey Should depensation be dismissed as a possible explanation for the lack of recovery of the northern cod (<i>Gadus morhua</i>) stock? | 1521 |
|---|------|

ARTICLES

| | |
|--|------|
| Y. Chen and D. Fournier Impacts of atypical data on Bayesian inference and robust Bayesian approach in fisheries | 1525 |
| Beth L. Sanderson, Thomas R. Hrabik, John J. Magnuson, and David M. Post Cyclic dynamics of a yellow perch (<i>Perca flavescens</i>) population in an oligotrophic lake: evidence for the role of intraspecific interactions | 1534 |
| Kevin G. Whalen and Donna L. Parrish Nocturnal habitat use of Atlantic salmon parr in winter | 1543 |
| Josef Daniel Ackerman Effect of velocity on the filter feeding of dreissenid mussels (<i>Dreissena polymorpha</i> and <i>Dreissena bugensis</i>): implications for trophic dynamics | 1551 |
| A.R. Paradis, M. Pépin, and P. Pepin Disentangling the effects of size-dependent encounter and susceptibility to predation with an individual-based model for fish larvae | 1562 |
| Roland A. Knapp and Haiganoush K. Preisler Is it possible to predict habitat use by spawning salmonids? A test using California golden trout (<i>Oncorhynchus mykiss aguabonita</i>) | 1576 |
| Kentaro Morita, Shoichiro Yamamoto, Yoshinobu Takashima, Takashi Matsuishi, Yasuji Kanno, and Kinya Nishimura Effect of maternal growth history on egg number and size in wild white-spotted char (<i>Salvelinus leucomaenis</i>) | 1585 |
| M. Gallagher and C.P. Nolan A novel method for the estimation of age and growth in rajids using caudal thorns | 1590 |
| Mark S. Wipfli, John P. Hudson, Dominic T. Chaloner, and John P. Caouette Influence of salmon spawner densities on stream productivity in Southeast Alaska | 1600 |
| Jeffrey A. Hutchings Influence of growth and survival costs of reproduction on Atlantic cod, <i>Gadus morhua</i> , population growth rate | 1612 |
| Richard B. Lowell and Joseph M. Culp Cumulative effects of multiple effluent and low dissolved oxygen stressors on mayflies at cold temperatures | 1624 |
| P.A. Lee, R. Haase, S.J. de Mora, J.-P. Chanut, and M. Gosselin Dimethylsulfoxide (DMSO) and related sulfur compounds in the Saguenay Fjord, Quebec | 1631 |
| Serge Parent and Antoine Morin Role of copepod-dominated meiofauna in the nitrification process of a cold marine mesocosm | 1639 |

| | | |
|--|--|------|
| Stephen D. McCormick, Richard A. Cunjak, Brian Dempson, Michael F. O'Dea, and Judith B. Carey | Temperature-related loss of smolt characteristics in Atlantic salmon (<i>Salmo salar</i>) in the wild | 1649 |
| J. Laroche, J.D. Durand, Y. Bouvet, B. Guinand, and B. Brohon | Genetic structure and differentiation among populations of two cyprinids, <i>Leuciscus cephalus</i> and <i>Rutilus rutilus</i> , in a large European river | 1659 |
| Russ Babcock and John Keesing | Fertilization biology of the abalone <i>Haliotis laevigata</i> : laboratory and field studies | 1668 |
| Frank M. Wilhelm, Jeff J. Hudson, and David W. Schindler | Contribution of <i>Gammarus lacustris</i> to phosphorus recycling in a fishless alpine lake | 1679 |
| David Bruce Lewis and John J. Magnuson | Intraspecific gastropod shell strength variation among north temperate lakes | 1687 |
| DISCUSSION | | |
| Caedmon H. Nash, John S. Richardson, and Scott G. Hinch | Spatial autocorrelation and fish production in freshwaters: a comment on Randall et al. (1995) | 1696 |
| PERSPECTIVE | | |
| Kyle A. Young | Managing the decline of Pacific salmon: metapopulation theory and artificial recolonization as ecological mitigation | 1700 |
| OBITUARY / NÉCROLOGIE | | |
| Peter John Schwinghamer | | 1707 |
| October / Octobre | | |
| RAPID COMMUNICATIONS / COMMUNICATIONS RAPIDES | | |
| M. Omair, Henry A. Vanderploeg, David J. Jude, and Gary L. Fahnenstiel | First observations of tumor-like abnormalities (exophytic lesions) on Lake Michigan zooplankton | 1711 |
| Brian J. Pyper and Randall M. Peterman | Relationship among adult body length, abundance, and ocean temperature for British Columbia and Alaska sockeye salmon (<i>Oncorhynchus nerka</i>), 1967–1997 | 1716 |
| ARTICLES | | |
| William G. Clark | Effects of an erroneous natural mortality rate on a simple age-structured stock assessment | 1721 |
| G.M. Fowler and W.T. Stobo | Effects of release parameters on recovery rates of tagged groundfish species | 1732 |
| Gregory T.O. LeBreton, F. William H. Beamish, and Robert G. Wallace | Lake sturgeon (<i>Acipenser fulvescens</i>) growth chronologies | 1752 |
| H. Perrein-Ettajani, J.C. Amiard, J. Haure et C. Renaud | Effets des métaux (Ag, Cd, Cu) sur la composition biochimique et compartimentation de ces métaux chez deux microalgues <i>Skeletonema costatum</i> et <i>Tetraselmis suecica</i> | 1757 |
| Marja-Liisa Koljonen, Håkan Jansson, Tiit Paaver, Oleg Vasin, and Jarmo Koskinen | Phylogeographic lineages and differentiation pattern of Atlantic salmon (<i>Salmo salar</i>) in the Baltic Sea with management implications | 1766 |
| Barb Crosbie and Patricia Chow-Fraser | Percentage land use in the watershed determines the water and sediment quality of 22 marshes in the Great Lakes basin | 1781 |
| Claire Vanier, Dolores Planas, and Michel Sylvestre | Empirical relationships between polychlorinated biphenyls in sediments and submerged rooted macrophytes | 1792 |
| Robert M. Holmes, Alain Aminot, Roger Kérouel, Bethanie A. Hooker, and Bruce J. Peterson | A simple and precise method for measuring ammonium in marine and freshwater ecosystems | 1801 |
| Rafael Morales-Baquero, Presentación Carrillo, Isabel Reche, and Pedro Sánchez-Castillo | Nitrogen–phosphorus relationship in high mountain lakes: effects of the size of catchment basins | 1809 |
| J.-D. Dutil, M. Castonguay, D. Gilbert, and D. Gascon | Growth, condition, and environmental relationships in Atlantic cod (<i>Gadus morhua</i>) in the northern Gulf of St. Lawrence and implications for management strategies in the Northwest Atlantic | 1818 |
| Caroline Marchand, Yvan Simard, and Yves Gratton | Concentration of capelin (<i>Mallotus villosus</i>) in tidal upwelling fronts at the head of the Laurentian Channel in the St. Lawrence estuary | 1832 |
| Yoji Naramatsu and Hiroyuki Munehara | Spawn date dependent survival and growth in the early life stages of <i>Hoplopterus dybowskii</i> (Gasterosteiformes) | 1849 |
| Cecily C.Y. Chang, James Langston, Mike Riggs, Donald H. Campbell, Steven R. Silva, and Carol Kendall | A method for nitrate collection for $\delta^{15}\text{N}$ and $\delta^{18}\text{O}$ analysis from waters with low nitrate concentrations | 1856 |

| | | |
|---|--|------|
| Eva Wahlström and Erika Westman | Planktivory by the predacious cladoceran <i>Bythotrephes longimanus</i> : effects on zooplankton size structure and abundance | 1865 |
| S.E. Campana, G.A. Chouinard, J.M. Hanson, and A. Fréchet | Mixing and migration of overwintering Atlantic cod (<i>Gadus morhua</i>) stocks near the mouth of the Gulf of St. Lawrence | 1873 |
| Beth Scott, Gudrun Marteinsdottir, and Peter Wright | Potential effects of maternal factors on spawning stock-recruitment relationships under varying fishing pressure | 1882 |
| Teija Seppä, Nina Peuhkuri, Heikki Hirvonen, Anssi Laurila, Jorma Piironen, and Esa Ranta | Narrow size regime among individuals favors rapid growth in Arctic char (<i>Salvelinus alpinus</i>) juveniles | 1891 |
| Randy Brown and Kenneth P. Severin | Elemental distribution within polymorphic inconnu (<i>Stenodus leucichthys</i>) otoliths is affected by crystal structure | 1898 |
| M.R.J. Sheehy, R.C.A. Bannister, J.F. Wickins, and P.M.J. Shelton | New perspectives on the growth and longevity of the European lobster (<i>Homarus gammarus</i>) | 1904 |
| François Landry, John R. Post, and Eric A. Parkinson | Spatial ontogeny of lentic age-0 rainbow trout, <i>Oncorhynchus mykiss</i> : whole-lake manipulations of population size structure | 1916 |
| Akio Imai, Takehiko Fukushima, and Kazuo Matsushige | Effects of iron limitation and aquatic humic substances on the growth of <i>Microcystis aeruginosa</i> | 1929 |
| Serge Parent and Antoine Morin | The role of copepod-dominated meiofauna in the mineralization of organic matter in a cold marine mesocosm | 1938 |
| PERSPECTIVES | | |
| Barbara Neis, David C. Schneider, Lawrence Felt, Richard L. Haedrich, Johanne Fischer, and Jeffrey A. Hutchings | Fisheries assessment: what can be learned from interviewing resource users? | 1949 |
| K. Cuddington and P.R. Leavitt | An individual-based model of pigment flux in lakes: implications for organic biogeochemistry and paleoecology | 1964 |
| OBITUARY / NÉCROLOGIE | | |
| Terrance Henry Butler | | 1978 |
| November / novembre | | |
| ARTICLES | | |
| Geoff Veinott, Tom Northcote, Marvin Rosenau, and R. Douglas Evans | Concentrations of strontium in the pectoral fin rays of the white sturgeon (<i>Acipenser transmontanus</i>) by laser ablation sampling – inductively coupled plasma – mass spectrometry as an indicator of marine migrations | 1981 |
| Sally V. Goddard, Ming H. Kao, and Garth L. Fletcher | Population differences in antifreeze production cycles of juvenile Atlantic cod (<i>Gadus morhua</i>) reflect adaptations to overwintering environment | 1991 |
| Jules S. Jaffe, Mark D. Ohman, and Alex De Robertis | Sonar estimates of daytime activity levels of <i>Euphausia pacifica</i> in Saanich Inlet | 2000 |
| Dale Squires and James Kirkley | Skipper skill and panel data in fishing industries | 2011 |
| Selina M. Stead, Dominic F. Houlihan, H. Anne McLay, and Ray Johnstone | Food consumption and growth in maturing Atlantic salmon (<i>Salmo salar</i>) | 2019 |
| Andrew P. Allen, Thomas R. Whittier, David P. Larsen, Philip R. Kaufmann, Raymond J. O'Connor, Robert M. Hughes, Richard S. Stemberger, Sushil S. Dixit, Ralph O. Brinkhurst, Alan T. Herlihy, and Steven G. Paulsen | Concordance of taxonomic composition patterns across multiple lake assemblages: effects of scale, body size, and land use | 2029 |
| Joseph R. Holomuzki, Robert W. Pillsbury, and Sapna B. Khandwala | Interplay between dispersal determinants of larval hydropsychid caddisflies | 2041 |
| Ad Corten | The reappearance of spawning Atlantic herring (<i>Clupea harengus</i>) on Aberdeen Bank (North Sea) in 1983 and its relationship to environmental conditions | 2051 |
| Y.W. Gao and R.J. Beamish | Isotopic composition of otoliths as a chemical tracer in population identification of sockeye salmon (<i>Oncorhynchus nerka</i>) | 2062 |
| B. Planque and T. Frédon | Temperature and the recruitment of Atlantic cod (<i>Gadus morhua</i>) | 2069 |

| | |
|---|------|
| Frode Kroglund and Magne Staurnes Water quality requirements of smolting Atlantic salmon (<i>Salmo salar</i>) in limed acid rivers | 2078 |
| I.K. Birtwell, R. Fink, D. Brand, R. Alexander, and C.D. McAllister Survival of pink salmon (<i>Oncorhynchus gorbuscha</i>) fry to adulthood following a 10-day exposure to the aromatic hydrocarbon water-soluble fraction of crude oil and release to the Pacific Ocean | 2087 |
| Erling Otterlei, Gunnar Nyhammer, Arild Folkvord, and Sigurd O. Stefansson Temperature- and size-dependent growth of larval and early juvenile Atlantic cod (<i>Gadus morhua</i>): a comparative study of Norwegian coastal cod and northeast Arctic cod | 2099 |
| Derek H. Alsop and Chris M. Wood Influence of waterborne cations on zinc uptake and toxicity in rainbow trout, <i>Oncorhynchus mykiss</i> | 2112 |
| Émilien Pelletier, Behzad Mostajir, Suzanne Roy, Michel Gosselin, Yves Gratton, Jean-Pierre Chanut, Claude Belzile, Serge Demers et Delphine Thibault Crue éclair de juillet 1996 dans la région du Saguenay (Québec). 1. Impacts sur la colonne d'eau de la baie des Ha! Ha! et du fjord du Saguenay | 2120 |
| Émilien Pelletier, Bruno Deflandre, Christian Nozais, Guglielmo Tita, Gaston Desrosiers, Jean-Pierre Gagné et Alfonso Mucci Crue éclair de juillet 1996 dans la région du Saguenay (Québec). 2. Impacts sur les sédiments et le biote de la baie des Ha! Ha! et du fjord du Saguenay | 2136 |
| Edward S. Rutherford, Kenneth A. Rose, Edward L. Mills, John L. Forney, Christine M. Mayer, and Lars G. Rudstam Individual-based model simulations of a zebra mussel (<i>Dreissena polymorpha</i>) induced energy shunt on walleye (<i>Stizostedion vitreum</i>) and yellow perch (<i>Perca flavescens</i>) populations in Oneida Lake, New York | 2148 |
| Bret C. Harvey, Rodney J. Nakamoto, and Jason L. White Influence of large woody debris and a bankfull flood on movement of adult resident coastal cutthroat trout (<i>Oncorhynchus clarki</i>) during fall and winter | 2161 |
| APPLICATIONS OF STABLE ISOTOPE TECHNIQUES TO ECOLOGICAL STUDIES / APPLICATIONS AUX ÉTUDES ÉCOLOGIQUES DES TECHNIQUES FAISANT APPEL AUX ISOTOPES STABLES | |
| Brian Fry Using stable isotopes to monitor watershed influences on aquatic trophodynamics | 2167 |
| R.R. Doucett, R.K. Booth, G. Power, and R.S. McKinley Effects of the spawning migration on the nutritional status of anadromous Atlantic salmon (<i>Salmo salar</i>): insights from stable-isotope analysis | 2172 |
| Keith L. Bosley and Sam C. Wainright Effects of preservatives and acidification on the stable isotope ratios (^{15}N : ^{14}N , ^{13}C : ^{12}C) of two species of marine animals | 2181 |
| J.S. Owen, M.J. Mitchell, and R.H. Michener Stable nitrogen and carbon isotopic composition of seston and sediment in two Adirondack lakes | 2186 |
| Karen A. Kidd, Michael J. Paterson, Raymond H. Hesslein, Derek C.G. Muir, and Robert E. Hecky Effects of northern pike (<i>Esox lucius</i>) additions on pollutant accumulation and food web structure, as determined by $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$, in a eutrophic and an oligotrophic lake | 2193 |
| Elena Gorokhova and Sture Hansson An experimental study on variations in stable carbon and nitrogen isotope fractionation during growth of <i>Mysis mixta</i> and <i>Neomysis integer</i> | 2203 |
| M.F. Leggett, M.R. Servos, R. Hesslein, O. Johannsson, E.S. Millard, and D.G. Dixon Biogeochemical influences on the carbon isotope signatures of Lake Ontario biota | 2211 |
| DISCUSSION | |
| Otto Grahl-Nielsen Comment: Fatty acid signatures and classification trees: new tools for investigating the foraging ecology of seals | 2219 |
| Stephen J. Smith, Sara J. Iverson, and W.D. Bowen Reply: Fatty acid signatures and classification trees: new tools for investigating the foraging ecology of seals | 2224 |
| ERRATUM | |
| Rafael Morales-Baquero, Presentación Carrillo, Isabel Reche, and Pedro Sánchez-Castillo Erratum: Nitrogen-phosphorus relationship in high mountain lakes: effects of the size of catchment basins | 2227 |
| December / décembre | |
| RAPID COMMUNICATIONS / COMMUNICATIONS RAPIDES | |
| David Gislason, Moira M. Ferguson, Skúli Skúlason, and Sigurður S. Snorrason Rapid and coupled phenotypic and genetic divergence in Icelandic Arctic char (<i>Salvelinus alpinus</i>) | 2229 |

| | |
|---|------|
| Strahan Tucker, Ivano Pazzia, David Rowan, and Joseph B. Rasmussen Detecting pan-Atlantic migration in salmon (<i>Salmo salar</i>) using ^{137}Cs | 2235 |
| ARTICLES | |
| Janick D. Lalonde, François Chapleau, Anik Brind'Amour et Lara Louise Ridgway Les métaux (Mn, Cu, Cd, Zn et Hg) des meuniers noirs (<i>Catostomus commersoni</i>) et des grands brochets (<i>Esox lucius</i>) de l'amont et de l'aval du barrage Moses-Saunders sur le fleuve Saint-Laurent près de Cornwall (Ontario) et Massena (New York) | 2240 |
| A.B. Wilson, K-A Naish, and E.G. Boulding Multiple dispersal strategies of the invasive quagga mussel (<i>Dreissena bugensis</i>) as revealed by microsatellite analysis | 2248 |
| Jacob Kann and Val H. Smith Estimating the probability of exceeding elevated pH values critical to fish populations in a hypereutrophic lake | 2262 |
| Kerry P. Black and Gregory D. Parry Entrainment, dispersal, and settlement of scallop dredge sediment plumes: field measurements and numerical modelling | 2271 |
| Steve Gutreuter, Andrew D. Bartels, Kevin Irons, and Mark B. Sandheimrich Evaluation of the flood-pulse concept based on statistical models of growth of selected fishes of the Upper Mississippi River system | 2282 |
| Nicholas F. Hughes Population processes responsible for larger-fish-upstream distribution patterns of Arctic grayling (<i>Thymallus arcticus</i>) in interior Alaskan runoff rivers | 2292 |
| Robert E. Scheibling, Allan W. Hennigar, and Toby Balch Destructive grazing, epiphytism, and disease: the dynamics of sea urchin – kelp interactions in Nova Scotia | 2300 |
| Ana Rakitin, Moira M. Ferguson, and Edward A. Trippel Sperm competition and fertilization success in Atlantic cod (<i>Gadus morhua</i>): effect of sire size and condition factor on gamete quality | 2315 |
| S.L. Waddy and D.E. Aiken Timing of the metamorphic molt of the American lobster (<i>Homarus americanus</i>) is governed by a population-based, photoperiodically entrained daily rhythm | 2324 |
| Lorin K. Hatch, John E. Reuter, and Charles R. Goldman Relative importance of stream-borne particulate and dissolved phosphorus fractions to Lake Tahoe phytoplankton | 2331 |
| Margaret F. Docker, John H. Youson, Richard J. Beamish, and Robert H. Devlin Phylogeny of the lamprey genus <i>Lampetra</i> inferred from mitochondrial cytochrome <i>b</i> and ND3 gene sequences | 2340 |
| Nancy L. Shackell, Kenneth T. Frank, Brian Petrie, David Brickman, and Jennifer Shore Dispersal of early life stage haddock (<i>Melanogrammus aeglefinus</i>) as inferred from the spatial distribution and variability in length-at-age of juveniles | 2350 |
| Guillermo R. Giannico and Michael C. Healey Ideal free distribution theory as a tool to examine juvenile coho salmon (<i>Oncorhynchus kisutch</i>) habitat choice under different conditions of food abundance and cover | 2362 |
| Kristen E. Ryding and John R. Skalski Multivariate regression relationships between ocean conditions and early marine survival of coho salmon (<i>Oncorhynchus kisutch</i>) | 2374 |
| D.G. Chen and D.M. Ware A neural network model for forecasting fish stock recruitment | 2385 |
| Steinn K. Valdimarsson and Neil B. Metcalfe Effect of time of day, time of year, and life history strategy on time budgeting in juvenile Atlantic salmon, <i>Salmo salar</i> | 2397 |
| Ransom A. Myers, Keith G. Bowen, and Nicholas J. Barrowman Maximum reproductive rate of fish at low population sizes | 2404 |
| GLOBEC CANADA | |
| Bruno A. Zakardjian, Jeffrey A. Runge, Stephane Plourde, and Yves Gratton A biophysical model of the interaction between vertical migration of crustacean zooplankton and circulation in the Lower St. Lawrence Estuary | 2420 |
| Clifford L.K. Robinson and Daniel M. Ware Simulated and observed response of the southwest Vancouver Island pelagic ecosystem to oceanic conditions in the 1990s | 2433 |
| C.S. Reiss, I.A. McLaren, and P.A. Avendaño Utility of storage lipid volumes in inferring recent trophic history of copepods | 2444 |
| Julia Qiuying Wu and William W. Hsieh A modelling study of the 1976 climate regime shift in the North Pacific Ocean | 2450 |
| Erica J.H. Head, Leslie R. Harris, and Brian Petrie Distribution of <i>Calanus</i> spp. on and around the Nova Scotia Shelf in April: evidence for an offshore source of <i>Calanus finmarchicus</i> to the central and western regions | 2463 |
| R. Ian Perry, Peter A. Thompson, David L. Mackas, Paul J. Harrison, and Douglas R. Yelland Stable carbon isotopes as pelagic food web tracers in adjacent shelf and slope regions off British Columbia, Canada | 2477 |
| PERSPECTIVES | |
| Howard P. Riessen Predator-induced life history shifts in <i>Daphnia</i> : a synthesis of studies using metaanalysis | 2487 |

Edward A. Trippel The first marine biological station in Canada: 100 years of scientific research at St. Andrews

2495

Supplement / supplément

SELECTED PROCEEDINGS OF THE SYMPOSIUM ENTITLED "SPACE, TIME, AND SCALE: NEW PERSPECTIVES IN FISH ECOLOGY AND MANAGEMENT" / SÉLECTION DE COMPTES RENDUS DU SYMPOSIUM INTITULÉ «ESPACE, TEMPS ÉCHELLE : NOUVELLES PERSPECTIVES POUR L'ÉCOLOGIE ET LA GESTION DES PÊCHES»

| | |
|--|-----|
| Doran M. Mason and Stephen B. Brandt Space, time, and scale: new perspectives in fish ecology and management | 1 |
| Jerald S. Ault, Jiangang Luo, Steven G. Smith, Joseph E. Serafy, John D. Wang, Robert Humston, and Guillermo A. Diaz A spatial dynamic multistock production model | 4 |
| Leif Nøttestad, Jarl Giske, Jens Chr. Holst, and Geir Huse A length-based hypothesis for feeding migrations in pelagic fish | 26 |
| Thomas R. Hrabik and John Magnuson Simulated dispersal of exotic rainbow smelt (<i>Osmerus mordax</i>) in a northern Wisconsin lake district and implications for management | 35 |
| Frank J. Rahel and Nathan P. Nibbelink Spatial patterns in relations among brown trout (<i>Salmo trutta</i>) distribution, summer air temperature, and stream size in Rocky Mountain streams | 43 |
| Timothy E. Essington and James F. Kitchell New perspectives in the analysis of fish distributions: a case study on the spatial distribution of largemouth bass (<i>Micropterus salmoides</i>) | 52 |
| Daniel E. Schindler Migration strategies of young fishes under temporal constraints: the effect of size-dependent overwinter mortality | 61 |
| E. Conrad Lamon III and C.A. Stow Sources of variability in microcontaminant data for Lake Michigan salmonids: statistical models and implications for trend detection | 71 |
| Erik R. Zlokovitz and David H. Secor Effect of habitat use on PCB body burden in Hudson River striped bass (<i>Morone saxatilis</i>) | 86 |
| Thomas C. Kline, Jr. Temporal and spatial variability of $^{13}\text{C}/^{12}\text{C}$ and $^{15}\text{N}/^{14}\text{N}$ in pelagic biota of Prince William Sound, Alaska | 94 |
| G.A. Rose and D.W. Kukla Hyperaggregation of fish and fisheries: how catch-per-unit-effort increased as the northern cod (<i>Gadus morhua</i>) declined | 118 |
| David A. Beauchamp, Casey M. Baldwin, Jason L. Vogel, and Chad P. Gubala Estimating diel, depth-specific foraging opportunities with a visual encounter rate model for pelagic piscivores | 128 |
| Jason D. Stockwell and Brett M. Johnson Field evaluation of a bioenergetics-based foraging model for kokanee (<i>Oncorhynchus nerka</i>) | 140 |
| Geoffrey B. Steinhart and Wayne A. Wurtzbaugh Under-ice diel vertical migrations of <i>Oncorhynchus nerka</i> and their zooplankton prey | 152 |
| Chris Luecke, M. William Wengert, and Roger W. Schneidervin Comparing results of a spatially explicit growth model with changes in the length-weight relationship of lake trout (<i>Salvelinus namaycush</i>) in Flaming Gorge Reservoir | 162 |
| John K. Horne, Paul E. Smith, and David C. Schneider Comparative examination of scale-explicit biological and physical processes: recruitment of Pacific hake (<i>Merluccius productus</i>) | 170 |
| David C. Schneider, Tammo Bult, Robert S. Gregory, David A. Methven, Danny W. Ings, and Vytenis Gotceitas Mortality, movement, and body size: critical scales for Atlantic cod (<i>Gadus morhua</i>) in the Northwest Atlantic | 180 |
| Gordon Swartzman, Richard Brodeur, Jeffrey Napp, Danny Walsh, Roger Hewitt, David Demer, George Hunt, and Elizabeth Logerwell Relating spatial distributions of acoustically determined patches of fish and plankton: data viewing, image analysis, and spatial proximity | 188 |

